


[Sign in](#)



Web

Tip: Try removing quotes from your search to get more results.

Your search - **floating point polynomials Bessel error Homer gamma "Homer's Rule" - 2006 -2005 -2004 -2003 -2002 -2001** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((floating<near/2>point)<and>machine<and>polynomials)<in>metadata)"



Your search matched 2 of 1302021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Searching worst cases of a one-variable function using lattice reduction**
 Stehle, D.; Lefevre, V.; Zimmermann, P.;
 Computers, IEEE Transactions on
 Volume 54, Issue 3, Mar 2005 Page(s):340 - 346
 Digital Object Identifier 10.1109/TC.2005.55
[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE JNL
- ☐ 2. **Worst cases and lattice reduction**
 Stehle, D.; Lefevre, L.; Zimmermann, P.;
 Computer Arithmetic, 2003. Proceedings. 16th IEEE Symposium on
 15-18 June 2003 Page(s):142 - 147
 Digital Object Identifier 10.1109/ARITH.2003.1207672
[AbstractPlus](#) | Full Text: [PDF](#)(434 KB) IEEE CNF

[Help](#) [Contact Us](#) [Privacy & !](#)

© Copyright 2005 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

[Author Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1****Quick Find an Author:**

Enter a name to locate articles written by that author.

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and the first initial S.

No Authors found beginning with letter: Enenkel

**OPTION 2****Browse alphabetically**

Select a letter from the list.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)indexed by
 Inspec[®][Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

[Author Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1****Quick Find an Author:**

Enter a name to locate articles written by that author.

Select a name to view articles written by that author

[Kerasha M. A.](#)

Example: Enter Lockett S to obtain a list of authors with the last name Lockett and the first initial S.

**OPTION 2****Browse alphabetically**

Select a letter from the list.

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)indexed by
 Inspec[®][Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



Nothing Found

Your search for **"floating point" +"Robert F. Enekel"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

Nothing Found

Your search for **"floating point" +"Sigitas Keras"** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"floating point" + "polynomial" + "model" + "signals" + "ci



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [floating point](#) [polynomial](#) [model](#) [signals](#) [coefficients](#) [Bessel](#) [Homer's Rule](#)

Found 17,604 of 169,866

Sort results by
Display results

[Save results to a Binder](#)
 [Search Tips](#)
☐ Open results in a new window

Try an [Advanced Search](#)
Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

1 [System architectures for computer music](#)



John W. Gordon

June 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 2

Publisher: ACM Press

Full text available: [pdf\(4.61 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Computer music is a relatively new field. While a large proportion of the public is aware of computer music in one form or another, there seems to be a need for a better understanding of its capabilities and limitations in terms of synthesis, performance, and recording hardware. This article addresses that need by surveying and discussing the architecture of existing computer music systems. System requirements vary according to what the system will be used for. Common uses for co ...

2 [Fast floating-point processing in Common Lisp](#)



Richard J. Fateman, Kevin A. Broughan, Diane K. Willcock, Duane Rettig

March 1995 **ACM Transactions on Mathematical Software (TOMS)**, Volume 21 Issue 1

Publisher: ACM Press

Full text available: [pdf\(2.58 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Lisp, one of the oldest higher-level programming languages, has rarely been used for fast numerical (floating-point) computation. We explore the benefits of Common Lisp, an emerging new language standard with some excellent implementations, for numerical computation. We compare it to Fortran in terms of the speed of efficiency of generated code, as well as the structure and convenience of the language. There are a surprising number of advantages to Lisp, especially in cases where a mixture ...

Keywords: C programming language, Common Lisp, Fortran, Lisp, compiler optimization, floating-point arithmetic, numerical algorithms, symbolic computation

3 [Survey of formula manipulation](#)



Jean E. Sammet

August 1966 **Communications of the ACM**, Volume 9 Issue 8

Publisher: ACM Press

Full text available: [pdf\(1.65 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

The field of formula manipulation is surveyed, with particular attention to the specific capabilities of differentiation, integration and the supporting capabilities of simplification, displays and input/output editing, and precision arithmetic. General systems—both batch and online—are described. Finally, some programs to solve specific applications are discussed.

4 Numerical computations: its nature and research directions



J. R. Rice, C. W. Gear, J. Ortega, B. Parlett, M. Schultz, L. F. Shampine, P. Wolfe, J. F. Traub
February 1979 **ACM SIGNUM Newsletter**, Volume 14 Issue si-1

Publisher: ACM Press

Full text available:  [pdf\(4.43 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This report on research in numerical computation is part of the Computer Science and Engineering Research Study (COSERS) which is aimed at technically educated people outside the Computer Science field. This goal led the panel to face many difficult choices between precise, but excessively technical, descriptions and looser, but more accessible expositions. The panel hopes that all readers will keep this in mind.

5 International symposium on symbolic and algebraic computation poster abstracts



2003

Olga Caprotti
September 2003 **ACM SIGSAM Bulletin**, Volume 37 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(1.73 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)


ISSAC 2003 was held on July 3-6, 2003 at Drexel University in Philadelphia, USA. Below are the abstracts of posters that were accepted and presented at the conference. The *best poster award* committee, consisting of J. Davenport, D. Jeffrey, M. Monagan, T. Shaska, T. Sturm, N. Takayama, E. Volcheck and members of the poster committee, assigned the prize to B. Jüttler, J. Schicho, and M. Shalaby for their poster *C¹ Implicitization of Planar Curves*. All posters ...

6 Abstracts—nuclear reactor codes



Virginia Nather, Ward Sangren
January 1959 **Communications of the ACM**, Volume 2 Issue 1

Publisher: ACM Press


Full text available:  [pdf\(3.51 MB\)](#) Additional Information: [full citation](#)

7 A test package for Sturm-Liouville solvers



J. D. Pryce
March 1999 **ACM Transactions on Mathematical Software (TOMS)**, Volume 25 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(212.42 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The author and colleagues have produced a collection of 60 test problems which offer a realistic performance test of the currently available automatic codes for eigenvalues of the classical Sturm-Liouville problem. We describe a Fortran implementation and the considerations that went into its design. A novel feature is that (almost) all the code defining one problem is textually contiguous in the Fortran text, unlike for example the DETEST package for ODE initial-value solvers where the def ...

Keywords: Sturm-Liouville problem, test-problem collection, testing software

8 Algorithm 840: computation of grid points, quadrature weights and derivatives for spectral element methods using prolate spheroidal wave functions---prolate elements

John P. Boyd

March 2005 **ACM Transactions on Mathematical Software (TOMS)**, Volume 31 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(291.55 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

High order domain decomposition methods using a basis of Legendre polynomials, known variously as "spectral elements" or " p -type finite elements," have become very popular. Recent studies suggest that accuracy and efficiency can be improved by replacing Legendre polynomials by prolate spheroidal wave functions of zeroth order. In this article, we explain the practicalities of computing all the numbers needed to switch bases: the grid points x_j

Keywords: p -finite elements, Prolate spheroidal wavefunctions, prolate element method, spectral elements

9 Certification of algorithm 22: Ricatti-Bessel functions of first and second kind

Thomas Bray

July 1970 **Communications of the ACM**, Volume 13 Issue 7

Publisher: ACM Press

Full text available:  [pdf\(428.60 KB\)](#) Additional Information: [full citation](#), [references](#)


Keywords: Bessel functions of fractional order, Ricatti-Bessel functions, spherical Bessel functions

10 Symbolic computation of divided differences

W. Kahan, R. J. Fateman

June 1999 **ACM SIGSAM Bulletin**, Volume 33 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(1.16 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Divided differences are enormously useful in developing stable and accurate numerical formulas. For example, programs to compute $f(x)-f(y)$ as might occur in integration, can be notoriously inaccurate. Such problems can be cured by approaching these computations through divided difference formulations. This paper provides a guide to divided difference theory and practice, with a special eye toward the needs of computer algebra systems that should be programmed to deal ...

11 Processing power on the IBM personal computer


John K. Gotwals

December 1983 **Proceedings of the 1983 ACM SIGSMALL symposium on Personal and small computers**

Publisher: ACM Press

Full text available:  [pdf\(455.96 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In the last 20 years there has been nearly a six-order-of-magnitude increase in computing power, and it is predicted that another five-to-six-orders-of-magnitude increase will occur by the year 2000 [1]. Although supercomputers such as the Cray-1 and Cyber 205 can perform certain vector operations with burst rates of up to 100 million floating-point operations per second (Mflops) [2], it is remarkable that a popular and affordable personal computer is only three-orders-of-magnitude slower. ...

- 12 Remarks on Algorithm 332: Jacobi polynomials: Algorithm 344: student's t-distribution: Algorithm 351: modified Romberg quadrature: Algorithm 359: factorial analysis of variance 

Arthur H. J. Sale


July 1970 **Communications of the ACM**, Volume 13 Issue 7

Publisher: ACM Press

Full text available:  [pdf\(428.60 KB\)](#) Additional Information: [full citation](#), [references](#)

Keywords: Fortran standards

- 13 Polynomial real root isolation using approximate arithmetic 


 J. R. Johnson, Werner Krandick

July 1997 **Proceedings of the 1997 international symposium on Symbolic and algebraic computation**

Publisher: ACM Press

Full text available:  [pdf\(998.05 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


- 14 Bibliography on Numerical Analysis 

 Alston S. Householder

April 1956 **Journal of the ACM (JACM)**, Volume 3 Issue 2

Publisher: ACM Press


Full text available:  [pdf\(1.12 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)


- 15 Efficient and accurate B-rep generation of low degree sculptured solids using exact arithmetic 

 John Keyser, Shankar Krishnan, Dinesh Manocha

May 1997 **Proceedings of the fourth ACM symposium on Solid modeling and applications**

Publisher: ACM Press


Full text available:  [pdf\(1.69 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 16 PRECISE: efficient multiprecision evaluation of algebraic roots and predicates for reliable geometric computation 

 Shankar Krishnan, Mark Foskey, Tim Culver, John Keyser, Dinesh Manocha

June 2001 **Proceedings of the seventeenth annual symposium on Computational geometry**

Publisher: ACM Press

Full text available:  [pdf\(631.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Many geometric problems like generalized Voronoi diagrams, medial axis computations and boundary evaluation involve computation and manipulation of non-linear algebraic primitives like curves and surfaces. The algorithms designed for these problems make decisions based on signs of geometric predicates or on the roots of polynomials characterizing the problem. The reliability of the algorithm depends on the accurate evaluation of these signs and roots. In this paper, we present a naive ...

17 Level set and PDE methods for computer graphics



David Breen, Ron Fedkiw, Ken Museth, Stanley Osher, Guillermo Sapiro, Ross Whitaker

August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

Publisher: ACM Press

Full text available:  [pdf\(17.07 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Level set methods, an important class of partial differential equation (PDE) methods, define dynamic surfaces implicitly as the level set (iso-surface) of a sampled, evolving nD function. The course begins with preparatory material that introduces the concept of using partial differential equations to solve problems in computer graphics, geometric modeling and computer vision. This will include the structure and behavior of several different types of differential equations, e.g. the level set eq ...


18 Random variate generation for multivariate unimodal densities



Luc Devroye

October 1997 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 7 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(303.84 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A probability density on a finite-dimensional Euclidean space is orthounimodal with a given mode if within each orthant (quadrant) defined by the mode, the density is a monotone function of each of its arguments individually. Up to a linear transformation, most of the commonly used random vectors possess orthounimodal densities. To generate a random vector from a given orthounimodal density, several general-purpose algorithms are presented; and an experimental performance evaluation illustr ...

Keywords: multivariate densities, nonparametric classes, random variate generation, unimodality

19 Algorithm 385: Exponential integral $Ei(x)$



Kathleen A. Paciorek

July 1970 **Communications of the ACM**, Volume 13 Issue 7

Publisher: ACM Press

Full text available:  [pdf\(428.59 KB\)](#) Additional Information: [full citation](#), [references](#)

Keywords: exponential integral, rational Chebyshev approximation, special functions

20 Certification of algorithm 385: Exponential integral $Ei(x)$



Edward W. Ng

July 1970 **Communications of the ACM**, Volume 13 Issue 7

Publisher: ACM Press

Full text available:  [pdf\(428.59 KB\)](#) Additional Information: [full citation](#), [references](#)

Keywords: exponential integral, rational Chebyshev approximation, special functions

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	109	((floating adj point) same (machine or model)) and polynomial	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:02
2	BRS	L2	83	((floating adj point) same (machine or model)) and polynomial and signals	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:15
3	BRS	L3	161	708/495	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:16
4	BRS	L4	149	708/495.ccls.	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:31
5	BRS	L5	1023	703/2.ccls.	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:31
6	BRS	L6	66	703/2.ccls. and (floating adj point)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:31
7	BRS	L7	0	703/2.ccls. and (floating adj point) and bessel	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:31

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	66	703/2.ccls. and (floating adj point)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 09:33

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	5	(math\$ same model) and (first adj polynomial)	USPAT	2006/01/19 14:50
2	BRS	L3	5	(math\$ same model) and (first adj polynomial)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:51
3	BRS	L4	4	(math\$ same model) and (first adj polynomial) and (second adj polynomial)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:51
4	BRS	L5	4	(math\$ same model) and (first adj polynomial) and (second adj polynomial)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:52
5	BRS	L6	3	(math\$ same model) and (first adj polynomial) and (second adj polynomial) and (floating adj point)\	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:52
6	BRS	L7	3	(math\$ same model) and (first adj polynomial) and (second adj polynomial) and (floating adj point)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:53
7	BRS	L8	0	(math\$ same model) and (first adj polynomial) and (second adj polynomial) and (floating adj point)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:53
8	BRS	L9	144	((floating adj point) same polynomial)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:54

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L10	1	((floating adj point) same polynomial) and (first adj polynomial) and (second adj polynomial)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:56
10	BRS	L11	0	(floating adj point) and (first adj polynomial) and (second adj polynomial) and (math\$ same model)	USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/01/19 14:56